

Interview Summary	Application No. 10/802,663	Applicant(s) KUNG ET AL.	
	Examiner Joseph W. Drodge	Art Unit 1797	

All participants (applicant, applicant's representative, PTO personnel):

(1) Joseph W. Drodge. (3)_____.

(2) Andrew Peret. (4)_____.

Date of Interview: 27 February 2008.

Type: a) ☒ Telephonic b) ☐ Video Conference
c) ☐ Personal [copy given to: 1) ☐ applicant 2) ☐ applicant's representative]

Exhibit shown or demonstration conducted: d) ☐ Yes e) ☒ No.

If Yes, brief description: _____.

Claim(s) discussed: 8 and 19.

Identification of prior art discussed: N/A.

Agreement with respect to the claims f) ☒ was reached. g) ☐ was not reached. h) ☐ N/A.

Substance of Interview including description of the general nature of what was agreed to if an agreement was reached, or any other comments: An Examiner proposed Examiner's Amendment was authorized to amend claim 8 to make claim language concerning responsiveness of the valves to more closely correspond to what is stated on page 5, lines 11-18 of the Instant Specification and mitigate a possible antecedent basis problem in claim 19.

(A fuller description, if necessary, and a copy of the amendments which the examiner agreed would render the claims allowable, if available, must be attached. Also, where no copy of the amendments that would render the claims allowable is available, a summary thereof must be attached.)

THE FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has already been filed, APPLICANT IS GIVEN A NON-EXTENDABLE PERIOD OF THE LONGER OF ONE MONTH OR THIRTY DAYS FROM THIS INTERVIEW DATE, OR THE MAILING DATE OF THIS INTERVIEW SUMMARY FORM, WHICHEVER IS LATER, TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW. See Summary of Record of Interview requirements on reverse side or on attached sheet.

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action. _____
Examiner's signature, if required